



APPENDIX D

ONTARIO REGULATION 163/06

May 12, 2016

Conservation Authorities Act
Loi sur les offices de protection de la nature

ONTARIO REGULATION 163/06

**LOWER TRENT REGION CONSERVATION AUTHORITY: REGULATION OF
DEVELOPMENT, INTERFERENCE WITH WETLANDS AND ALTERATIONS TO SHORELINES
AND WATERCOURSES**

Consolidation Period: From February 8, 2013 to the [e-Laws currency date](#).

Last amendment: O. Reg. 67/13.

This Regulation is made in English only.

Definition

1. In this Regulation,

“Authority” means the Lower Trent Region Conservation Authority. O. Reg. 163/06, s. 1.

Development prohibited

2. (1) Subject to section 3, no person shall undertake development or permit another person to undertake development in or on the areas within the jurisdiction of the Authority that are,

(a) adjacent or close to the shoreline of the Great Lakes-St. Lawrence River System or to inland lakes that may be affected by flooding, erosion or dynamic beaches, including the area from the furthest offshore extent of the Authority’s boundary to the furthest landward extent of the aggregate of the following distances:

(i) the 100 year flood level, plus the appropriate allowance for wave uprush shown in the most recent document entitled “Lake Ontario Shoreline Management Plan”, or as identified in the most recent document entitled “Cramahe Shorelands Project” for the Township of Cramahe or in the most recent document entitled “Alnwick/Haldimand Lake Ontario Shorelands Project” for the Township of Alnwick/Haldimand, available at the head office of the Authority,

(ii) the predicted long term stable slope projected from the existing stable toe of the slope or from the predicted location of the toe of the slope as that location may have shifted as a result of shoreline erosion over a 100-year period shown in the most recent document entitled “Lake Ontario Shoreline Management Plan”, or as identified in the most recent document entitled “Cramahe Shorelands Project” for the Township of Cramahe or in the most recent document entitled “Alnwick/Haldimand Lake Ontario Shorelands Project” for the Township of Alnwick/Haldimand, available at the head office of the Authority,

(iii) where a dynamic beach is associated with the waterfront lands, the appropriate allowance inland to accommodate dynamic beach movement shown in the most recent document entitled “Lake Ontario Shoreline Management Plan”, or as identified in the most recent document entitled “Cramahe Shorelands Project” for the Township of Cramahe or in the most recent document entitled “Alnwick/Haldimand Lake Ontario Shorelands Project” for the Township of Alnwick/Haldimand, available at the head office of the Authority, and

(iv) an allowance of 15 metres inland;

(b) river or stream valleys that have depressional features associated with a river or stream, whether or not they contain a watercourse, the limits of which are determined in accordance with the following rules:

(i) where the river or stream valley is apparent and has stable slopes, the valley extends from the stable top of bank, plus 15 metres, to a similar point on the opposite side,

(ii) where the river or stream valley is apparent and has unstable slopes, the valley extends from the predicted long term stable slope projected from the existing stable slope or, if the toe of the slope is unstable, from the predicted location of the toe of the slope as a result of stream erosion over a projected 100-year period, plus 15 metres, to a similar point on the opposite side,

(iii) where the river or stream valley is not apparent, the valley extends the greater of,

(A) the distance from a point outside the edge of the maximum extent of the flood plain under the applicable flood event standard, plus 15 metres, to a similar point on the opposite side, and

(B) the distance from the predicted meander belt of a watercourse, expanded as required to convey the flood flows under the applicable flood event standard, plus 15 metres, to a similar point on the opposite side;

(c) hazardous lands;

(d) wetlands; or

(e) other areas where development could interfere with the hydrologic function of a wetland, including areas within 120 metres of all provincially significant wetlands and areas within 30 metres of all other wetlands. O. Reg. 163/06, s. 2 (1); O. Reg. 67/13, s. 1 (1, 2).

(2) All areas within the jurisdiction of the Authority that are described in subsection (1) are delineated as the “Regulation Limit” shown on a series of maps filed at the head office of the Authority under the map title “Ontario Regulation 97/04: Regulation for Development, Interference with Wetlands and Alterations to Shorelines and Watercourses”. O. Reg. 67/13, s. 1 (3).

(3) If there is a conflict between the description of areas in subsection (1) and the areas as shown on the series of maps referred to in subsection (2), the description of areas in subsection (1) prevails. O. Reg. 67/13, s. 1 (3).

Permission to develop

3. (1) The Authority may grant permission for development in or on the areas described in subsection 2 (1) if, in its opinion, the control of flooding, erosion, dynamic beaches, pollution or the conservation of land will not be affected by the development. O. Reg. 163/06, s. 3 (1).

(2) The permission of the Authority shall be given in writing, with or without conditions. O. Reg. 163/06, s. 3 (2).

(3) Subject to subsection (4), the Authority’s executive committee, or one or more employees of the Authority that have been designated by the Authority for the purposes of this section, may exercise the powers and duties of the Authority under subsections (1) and (2) with respect to the granting of permissions for development in or on the areas described in subsection 2 (1). O. Reg. 67/13, s. 2.

(4) A designate under subsection (3) shall not grant a permission for development with a maximum period of validity of more than 24 months. O. Reg. 67/13, s. 2.

Application for permission

4. A signed application for permission to undertake development shall be filed with the Authority and shall contain the following information:

1. Four copies of a plan of the area showing the type and location of the proposed development.
2. The proposed use of the buildings and structures following completion of the development.
3. The start and completion dates of the development.
4. The elevations of existing buildings, if any, and grades and the proposed elevations of buildings and grades after the development.
5. Drainage details before and after the development.
6. A complete description of the type of fill proposed to be placed or dumped.
7. Such other technical studies or plans as the Authority may request. O. Reg. 163/06, s. 4; O. Reg. 67/13, s. 3.

Alterations prohibited

5. Subject to section 6, no person shall straighten, change, divert or interfere in any way with the existing channel of a river, creek, stream or watercourse or change or interfere in any way with a wetland. O. Reg. 163/06, s. 5.

Permission to alter

6. (1) The Authority may grant permission to straighten, change, divert or interfere with the existing channel of a river, creek, stream or watercourse or to change or interfere with a wetland. O. Reg. 163/06, s. 6 (1); O. Reg. 67/13, s. 4 (1).

(2) The permission of the Authority shall be given in writing, with or without conditions. O. Reg. 163/06, s. 6 (2).

(3) Subject to subsection (4), the Authority’s executive committee, or one or more employees of the Authority that have been designated by the Authority for the purposes of this section, may exercise the powers and duties of the Authority under subsections (1) and (2) with respect to the granting of permissions for alteration. O. Reg. 67/13, s. 4 (2).

(4) A designate under subsection (3) shall not grant a permission for alteration with a maximum period of validity of more than 24 months. O. Reg. 67/13, s. 4 (2).

Application for permission

7. A signed application for permission to straighten, change, divert or interfere with the existing channel of a river, creek, stream or watercourse or change or interfere with a wetland shall be filed with the Authority and shall contain the following information:

1. Four copies of a plan of the area showing plan view and cross-section details of the proposed alteration.
2. A description of the methods to be used in carrying out the alteration.
3. The start and completion dates of the alteration.
4. A statement of the purpose of the alteration.
5. Such other technical studies or plans as the Authority may request. O. Reg. 163/06, s. 7; O. Reg. 67/13, s. 5.

Cancellation of permission

8. (1) The Authority may cancel a permission granted under section 3 or 6 if it is of the opinion that the conditions of the permission have not been met. O. Reg. 163/06, s. 8 (1); O. Reg. 67/13, s. 6 (1).

(2) Before cancelling a permission, the Authority shall give a notice of intent to cancel to the holder of the permission indicating that the permission will be cancelled unless the holder shows cause at a hearing why the permission should not be cancelled. O. Reg. 163/06, s. 8 (2).

(3) Following the giving of the notice under subsection (2), the Authority shall give the holder at least five days notice of the date of the hearing. O. Reg. 163/06, s. 8 (3); O. Reg. 67/13, s. 6 (2).

Period of validity of permissions and extensions

9. (1) The maximum period, including an extension, for which a permission granted under section 3 or 6 may be valid is,
- (a) 24 months, in the case of a permission granted for projects other than projects described in clause (b); and
 - (b) 60 months, in the case of a permission granted for,
 - (i) projects that, in the opinion of the Authority or its executive committee, cannot reasonably be completed within 24 months from the day the permission is granted, or
 - (ii) projects that require permits or approvals from other regulatory bodies that, in the opinion of the Authority or its executive committee, cannot reasonably be obtained within 24 months from the day permission is granted. O. Reg. 67/13, s. 7.

(2) The Authority or its executive committee may grant a permission for an initial period that is less than the applicable maximum period specified in subsection (1) if, in the opinion of the Authority or its executive committee, the project can be completed in a period that is less than the maximum period. O. Reg. 67/13, s. 7.

(3) If the Authority or its executive committee grants a permission under subsection (2) for an initial period that is less than the applicable maximum period of validity specified in subsection (1), the Authority or its executive committee may grant an extension of the permission if,

- (a) the holder of the permission submits a written application for an extension to the Authority at least 60 days before the expiry of the permission;
- (b) no extension of the permission has previously been granted; and
- (c) the application sets out the reasons for which an extension is required and, in the opinion of the Authority or its executive committee, demonstrates that circumstances beyond the control of the holder of the permission will prevent completion of the project before the expiry of the permission. O. Reg. 67/13, s. 7.

(4) When granting an extension of a permission under subsection (3), the Authority or its executive committee may grant the extension for the period of time requested by the holder in the application or for such period of time as the Authority or its executive committee deems appropriate, as long as the total period of validity of the permission does not exceed the applicable maximum period specified in subsection (1). O. Reg. 67/13, s. 7.

(5) For the purposes of this section, the granting of an extension for a different period of time than the period of time requested does not constitute a refusal of an extension. O. Reg. 67/13, s. 7.

(6) The Authority or its executive committee may refuse an extension of a permission if it is of the opinion that the requirements of subsection (3) have not been met. O. Reg. 67/13, s. 7.

(7) Before refusing an extension of a permission, the Authority or its executive committee shall give notice of intent to refuse to the holder of the permission, indicating that the extension will be refused unless,

- (a) the holder requires a hearing, which may be before the Authority or its executive committee, as the Authority directs; and
- (b) at the hearing, the holder satisfies the Authority, or the Authority's executive committee, as the case may be,

- (i) that the requirements of clauses (3) (a) and (b) have been met, and
- (ii) that circumstances beyond the control of the holder will prevent completion of the project before the expiry of the permission. O. Reg. 67/13, s. 7.

(8) If the holder of the permission requires a hearing under subsection (7), the Authority or its executive committee shall give the holder at least five days notice of the date of the hearing. O. Reg. 67/13, s. 7.

(9) After holding a hearing under subsection (7), the Authority or its executive committee shall,

- (a) refuse the extension; or
- (b) grant an extension for such period of time as it deems appropriate, as long as the total period of validity of the permission does not exceed the applicable maximum period specified in subsection (1). O. Reg. 67/13, s. 7.

(10) Subject to subsection (11), one or more employees of the Authority that have been designated by the Authority for the purposes of this section may exercise the powers and duties of the Authority under subsections (2), (3) and (4), but not those under subsections (6), (7), (8) and (9). O. Reg. 67/13, s. 7.

(11) A designate under subsection (10) shall not grant an extension of a permission for any period that would result in the permission having a period of validity greater than 24 months. O. Reg. 67/13, s. 7.

Appointment of officers

10. The Authority may appoint officers to enforce this Regulation. O. Reg. 163/06, s. 10.

Flood event standards

11. (1) The applicable flood event standards used to determine the maximum susceptibility to flooding of lands or areas within the watersheds in the area of jurisdiction of the Authority are the Timmins Flood Event Standard and the 100 year flood level plus wave uprush, described in Schedule 1. O. Reg. 163/06, s. 11 (1).

- (2) The Timmins Flood Event Standard applies to all watersheds within the area of jurisdiction of the Authority except for,
 - (a) the main channels of Rice Lake and Trent River, where the applicable standard is rainfall or snowmelt, or a combination of rainfall and snowmelt, that would produce the water surface elevations above Canadian Geodetic Datum described in Table 1;
 - (b) Lake Ontario in the Great Lakes-St. Lawrence River System where the 100 year flood level plus wave uprush applies.

**TABLE 1
WATER SURFACE ELEVATIONS**

Location	Elevation
Rice Lake	187.9 metres
Trent River:	
Below Dam #1 (Trenton)	77.2 metres
Below Dam #2 (Sidney)	81.3 metres
Below Dam #3 (Glen Miller)	87.7 metres
Below Dam #4 (Batawa)	95.7 metres
Below Dam #5 (Trent)	101.7 metres
Below Dam #6 (Frankford)	107.9 metres
Below Dam #7 (Glen Ross)	113.5 metres
Below Dam #8 (Meyers)	117.9 metres
Below Dam #9 (Hagues Reach)	128.1 metres
Below Dam # 10 (Ranney Falls)	143.4 metres
Below Dam #11 (Campbellford)	148.3 metres
Below Dam #12 (Crowe Bay)	154.3 metres
Below Dam #13 (Healy Falls)	175.5 metres
Below Dam #14 (Hastings)	186.7 metres

O. Reg. 163/06, s. 11 (2).

12. REVOKED: O. Reg. 67/13, s. 8.

13. OMITTED (REVOKES OTHER REGULATIONS). O. Reg. 163/06, s. 13.

SCHEDULE 1

1. The Timmins Flood Event Standard means a storm that produces over a 12-hour period,

- (a) in a drainage area of 25 square kilometres or less, rainfall that has the distribution set out in Table 2; or

- (b) in a drainage area of more than 25 square kilometres, rainfall such that the number of millimetres of rain referred to in each case in Table 2 shall be modified by the percentage amount shown in Column 2 of Table 3 opposite the size of the drainage area set out opposite thereto in Column 1 of Table 3.

TABLE 2

15 millimetres of rain in the first hour
20 millimetres of rain in the second hour
10 millimetres of rain in the third hour
3 millimetres of rain in the fourth hour
5 millimetres of rain in the fifth hour
20 millimetres of rain in the sixth hour
43 millimetres of rain in the seventh hour
20 millimetres of rain in the eighth hour
23 millimetres of rain in the ninth hour
13 millimetres of rain in the tenth hour
13 millimetres of rain in the eleventh hour
8 millimetres of rain in the twelfth hour

TABLE 3

Column 1	Column 2
Drainage Area (Square Kilometres)	Percentage
26 to 50 both inclusive	97
51 to 75 both inclusive	94
76 to 100 both inclusive	90
101 to 150 both inclusive	87
151 to 200 both inclusive	84
201 to 250 both inclusive	82
251 to 375 both inclusive	79
376 to 500 both inclusive	76
501 to 750 both inclusive	74
751 to 1000 both inclusive	70
1001 to 1250 both inclusive	68
1251 to 1500 both inclusive	66
1501 to 1800 both inclusive	65
1801 to 2100 both inclusive	64
2101 to 2300 both inclusive	63
2301 to 2600 both inclusive	62
2601 to 3900 both inclusive	58
3901 to 5200 both inclusive	56
5201 to 6500 both inclusive	53
6501 to 8000 both inclusive	50

2. The 100 year flood level means the peak instantaneous still water level plus an allowance for wave uprush and other water-related hazards that has a probability of occurrence of one per cent during any given year.

O. Reg. 163/06, Sched. 1.

Back to top